

# Cable use guide

	CABLE WINDING REELS									
	festoons	cable laid on ground or in conduit			vertical cable	cable tender systems	guide pulley systems	pendant push buttons	cable carrier chains	basket
<b>LOW VOLTAGE CABLES</b>										
PANZERFLEX-L 0.6/1 kV (N)SHTÖU	■	□	■	■	□	□	□	□	■	□
PANZERFLEX-VS 0.6/1 kV	□	■	■	■	■	■	■	■	□	□
PANZERLITE 0.6/1 kV	□	■	■	■	■	■	■	■	□	□
<b>MEDIUM VOLTAGE CABLES</b>										
PANZERFLEX-EL up to 20 kV (N)TSCGEWÖU	■	■	■	■	□	□	□	□	■	□
PANZERFLEX-EL+FO up to 20 kV (N)TSCGEWÖU	■	■	■	■	□	□	□	□	■	□
PANZERFLAT up to 10 kV	■	■	□	□	□	□	□	□	□	□
<b>OTHERS CABLES</b>										
FLEXIFLAT 450/750 kV (N)GFLGÖU	■	□	□	□	□	□	□	□	■	□
BASKETHEAVYFLEX 300/500 kV	□	□	□	□	□	□	□	□	□	■
FESTOONFIBERFLEX	■	■	□	□	□	□	□	□	□	■

□      ■      ■

**NO APPLICATION    MAIN APPLICATION    SUITABLE**

The above table is designed in order to give an easy reference in cable selection for the main mobile equipment application. Please keep in mind that when using this guide all the concurrent factors are to be considered: bending radii, speed, ambient temperature and tension. Even if only one of these parameters stands outside the given data of this catalogue, please contact our sales department for gaining further information.